

1065, du Pacifique Street, suite 403
Sherbrooke, Québec
J1H 2G3
Tel : 450-678-5468 • Fax : 450-445-9837

Speciality seating

 <p>Echo-chair 200</p>	<p><u>Characteristics</u></p> <p>Backrest</p> <ul style="list-style-type: none"> • Fully Upholstered Dual Curve Backrest with Back Trim • 15.5" wide by 13.5" high <p>Seat</p> <ul style="list-style-type: none"> • Dual Density Molded Polyurethane Foam • Seat Pan 18.5" wide by 17" deep • Also available extra small seat <p>Control</p> <ul style="list-style-type: none"> • 3 Lever tilt control [TiLT] <p>Pneumatic Lift</p> <ul style="list-style-type: none"> • 200 mm Pneumatic Lift (21"-28") other length available <p>Arm sold separately</p> <p>Base</p> <ul style="list-style-type: none"> • 26" Glass Reinforced Nylon High Profile Base • 20" height adjustable footring • 5 Dual Wheel Nylon Carpet Casters or glides
 <p>140</p>	<p><u>Characteristics</u></p> <p>Backrest</p> <ul style="list-style-type: none"> • Fully Upholstered Dual Curve Backrest with Back Trim • 15.5" wide by 13.5" high <p>Seat</p> <ul style="list-style-type: none"> • Dual Density Molded Polyurethane Foam • Seat Pan 18.5" wide by 17" deep • Also available extra small seat <p>Control</p> <ul style="list-style-type: none"> • 3 Lever tilt control [TiLT] <p>Pneumatic Lift</p> <ul style="list-style-type: none"> • 140 mm Pneumatic Lift (15.5"-21") other length available <p>Arm sold separately</p> <p>Base</p> <ul style="list-style-type: none"> • 26" Glass Reinforced Nylon High Profile Base • 5 Dual Wheel Nylon Carpet Casters or glides



IND S2F TILT



IND LC STANDARD PU



ERGO C140 PU



SCOOTER



STAR BASE



SPIDER



IND SCOOTER



SIT STAND



TA180

Options :

Triple Density Foam Seat (<i>Adds 1/4" to seat width & depth</i>)	TDF
Memory Foam Seat [EA]	EA
Chrome Accent Casters	CAC
Urethane Casters	UC
Individual manual locking caster	MAN
Wheels lock ON	LON
Wheels lock OFF	LOF
2 1/4" Glides	2G
80mm pneumatic lift	80
100mm pneumatic lift	100
40mm pneumatic lift	140
157mm pneumatic lift	157
200mm pneumatic lift	200
267mm pneumatic lift	267
25" Painted Glass Reinforced Nylon High Profile Base	PB
26" Polished Aluminum Base	26NB