

UTILITY CARTS

COMMON FEATURES:

LAKESIDE® STAINLESS STEEL CARTS

- ✓ 60%-70% of material used in the manufacturing of stainless steel is recycled material
- ✓ Stainless steel is 100% recyclable



- ✓ Strong and durable for long life and greater return on investment
- ✓ Easy to clean and sanitize
- ✓ Steam cleans and wipes down easily
- ✓ Corrosion- and stain-resistant for long-term use

1	DURABILITY INDEX
	Standard Duty
	WEIGHT CAPACITY
	300 lbs. 135 kg

2	DURABILITY INDEX
	Medium Duty
	WEIGHT CAPACITY
	500 lbs. 230 kg

ANGLE LEG DESIGN | STAINLESS STEEL

Lakeside's classic cart satisfies all of your basic needs without any of the frills.

- All-welded angle leg design provides durability
- Reinforced, hemmed front adds strength where the cart is most vulnerable to stress
- Sound deadening material under shelves restricts vibration and noise
- Bumpers on legs and handles protect walls and furniture
- Optional accessories shown on page 14



#311

MODEL	SHELF DESCRIPTION			OVERALL SIZE			LAKE-GLIDE® CASTERS		SHIP WEIGHT		FedEx STANDARD PRODUCTS SHIP IN 2 DAYS OR LESS
	# OF	SIZE (W X L)	CLEARANCE	W	L	H	TYPE	DIA.	LBS.	(KG)	
311	3	15 1/2" x 24" (394 x 610)	11 3/4" (298)	16 1/4" (413)	27 1/2" (699)	32 1/8" (816)	All swivel	3 1/2" (89)	29	(13.2)	OK
322	3	18" x 27" (457 x 686)	12 1/4" (311)	18 3/8" (467)	30 3/4" (781)	33" (838)	All swivel	3 1/2" (89)	32	(14.5)	NA
316*	3	15 1/2" x 24" (394 x 610)	9 1/4" (235)	16 1/4" (413)	27 1/2" (699)	33 3/8" (848)	All swivel	3 1/2" (89)	33	(14.9)	OK

*Includes Guard Rail on open edge of top and middle shelf, all 4 sides of bottom shelf.



MODEL	SHELF DESCRIPTION			OVERALL SIZE			LAKE-GLIDE® CASTERS		SHIP WEIGHT		FedEx STANDARD PRODUCTS SHIP IN 3 DAYS OR LESS
	# OF	SIZE (W X L)	CLEARANCE	W	L	H	TYPE	DIA.	LBS.	(KG)	
411	3	15 1/2" x 24" (394 x 610)	11 1/2" (292)	16 3/4" (425)	27 5/8" (702)	32" (813)	All swivel	4" (102)	39	(17.7)	OK
422	3	18" x 27" (457 x 686)	11 1/2" (292)	19" (483)	31" (787)	32" (813)	All swivel	4" (102)	42	(19.1)	NA
444	3	21" x 35" (533 x 889)	13 1/8" (333)	22 3/8" (568)	39 1/4" (997)	37 1/4" (946)	All swivel No-Mark®, cushion tread	5" (127)	68	(30.8)	NA
459	3	21" x 49" (533 x 1245)	13 1/8" (333)	22 3/8" (568)	54 1/8" (1374)	37 1/4" (946)	2 swivel 2 fixed No-Mark®, cushion tread	5" (127) 5" (127)	88	(39.9)	NA

Measurements in () denote metric millimeters, unless otherwise specified.



UTILITY CARTS (CONT.)

3	DURABILITY INDEX
	Heavy Duty
	WEIGHT CAPACITY 700 lbs. 320 kg

ANGLE "U"-FRAME DESIGN STAINLESS STEEL

Transporting large loads over long distances is a breeze for this heavy duty cart.

- Larger 8" (203) front wheels allow cart to transition over uneven surfaces with ease
- Fixed front wheels help guide cart in a straight line, while making it easier to navigate corners
- U-shaped frame design provides superior structural strength for larger loads
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Optional accessories shown on page 14



COMMON FEATURES:

UTILITY CARTS

STANDARD FEATURES

- ✓ Stainless Steel
- ✓ Reinforced edges
- ✓ Double ball bearings
- ✓ Leg and handle bumpers

MODEL	SHELF DESCRIPTION			OVERALL SIZE			LAKE-GLIDE® CASTERS*		SHIP WEIGHT	
	# OF	SIZE (W X L)	CLEARANCE	W	L	H	TYPE	DIA.	LBS.	(KG)
710	2	15 1/2" x 24"	19"	16 1/4"	30"	34 1/4"	2-swivel	5" (127)	49	(22.2)
		(394 x 610)	(483)	(413)	762	870)	2-fixed	8" (203)		
711	3	15 1/2" x 24"	10"	16 1/4"	30"	34 1/4"	2-swivel	5" (127)	57	(25.9)
		(394 x 610)	(254)	(413)	762	870)	2-fixed	8" (203)		
721	2	18" x 27"	19"	19 3/8"	32 5/8"	34 1/2"	2-swivel	5" (127)	53	(24)
		(457 x 686)	(483)	(492)	829	876)	2-fixed	8" (203)		
722	3	18" x 27"	10"	19 3/8"	32 5/8"	34 1/2"	2-swivel	5" (127)	63	(28.6)
		(457 x 686)	(254)	(492)	829	876)	2-fixed	8" (203)		
743	2	21" x 33"	21"	22 3/8"	38 5/8"	37 1/8"	2-swivel	5" (127)	64	(29)
		(533 x 838)	(533)	(568)	981	943)	2-fixed	8" (203)		
744	3	21" x 33"	11 3/8"	22 3/8"	38 5/8"	37 1/8"	2-swivel	5" (127)	78	(35.4)
		(533 x 838)	(289)	(568)	981	943)	2-fixed	8" (203)		
758	2	21" x 49"	21"	22 3/8"	54 5/8"	37"	2-swivel	5" (127)	87	(39.5)
		(533 x 1245)	(533)	(568)	1387	940)	2-fixed	8" (203)		
759	3	21" x 49"	11 3/8"	22 3/8"	54 5/8"	37"	2-swivel	5" (127)	108	(49)
		(533 x 1245)	(289)	(568)	1387	940)	2-fixed	8" (203)		

FREIGHT CLASS
125

STANDARD PRODUCTS SHIP IN **4** DAYS OR LESS

CASTERS

Fixed and swivel casters are interchangeable at the factory or in the field.

Maximum maneuverability in tight spaces with optional all swivel, 5" casters



All Swivel

Economical
chrome ships
knocked down
(KD) which is
Fedex or UPS
ground



4" all swivel
casters

#473



#479

2	DURABILITY INDEX
	Medium Duty
	WEIGHT CAPACITY
500 lbs. 230 kg	

TUBULAR DESIGN | STAINLESS STEEL

Tubular design delivers extra strength and manageability for navigating crowded spaces

- Dual handles allow for pushing from either end when narrow spaces restrict turns
- All swivel casters make it easier to maneuver into tight corners
- 1" thick tubing supplies longer lasting durability
- U-shaped frame with integrated handles increases structural strength
- Sound deadening material under shelves restricts vibration and noise
- Optional accessories shown on page 14

Adapter bar
creates edge to
hang utility or
waste basket



BENEFITS

- Easy to clean and sanitize
- Extra capacity for heavy loads
- Swivels smoothly with less strain
- Protects walls and furniture

MODEL	SHELF DESCRIPTION			OVERALL SIZE			LAKE-GLIDE® CASTERS		SHIP WT. LBS. (KG)	FedEx UPS
	# OF	SIZE (W X L)	CLEARANCE	W	L	H	TYPE	DIA.		
ALL STAINLESS STEEL										
210	2	15 1/2" x 24" (394 x 610)	18 3/4" (476)	17 1/2" (445)	27" (686)	35 3/4" (908)	All swivel	4" (102)	31 (14)	NA
211	3	15 1/2" x 24" (394 x 610)	9 1/2" (241)	17 1/2" (445)	27" (686)	35 3/4" (908)	All swivel	4" (102)	36 (16.3)	NA
221	2	18" x 27" (457 x 686)	18 3/4" (476)	20" (508)	30" (762)	35 3/4" (908)	All swivel	4" (102)	36 (16.3)	NA
222	3	18" x 27" (457 x 686)	9 1/2" (241)	20" (508)	30" (762)	35 3/4" (908)	All swivel	4" (102)	43 (19.5)	NA
243	2	21" x 33" (533 x 838)	21 1/2" (546)	22" (559)	36" (914)	40 5/8" (1032)	All swivel No-Mark®, cushion tread	5" (127)	55 (25)	NA
244	3	21" x 33" (533 x 838)	10 3/4" (273)	22" (559)	36" (914)	40 5/8" (1032)	All swivel No-Mark®, cushion tread	5" (127)	66 (29.9)	NA
CHROME-PLATED LEGS/FRAME										
472	2	15 1/2" x 24" (394 x 610)	18 3/4" (476)	17 1/2" (445)	27" (686)	35 3/4" (908)	All swivel	4" (102)	32 (14.5)	NA
473	3	15 1/2" x 24" (394 x 610)	9 1/2" (241)	17 1/2" (445)	27" (686)	35 3/4" (908)	All swivel	4" (102)	37 (16.8)	NA
479	3	15 1/2" x 24" (394 x 610)	9 7/8" (229)	17 1/2" (445)	27" (686)	35" (889)	All swivel	4" (102)	43 (19.5)	OK KD
489	3	18" x 27" (457 x 686)	9 7/8" (229)	20" (508)	27" (686)	35" (889)	All swivel	4" (102)	50 (22.7)	OK KD
492	2	21" x 33" (533 x 838)	21 1/2" (229)	23" (584)	36" (914)	40 1/8" (1019)	All swivel	5" (127)	53 (24)	NA
493	3	21" x 33" (533 x 838)	10 3/4" (273)	23" (584)	36" (914)	40 1/8" (1019)	All swivel	5" (127)	67 (30.4)	NA
499	3	21" x 33" (533 x 838)	9 7/8" (229)	23" (584)	36" (914)	37" (940)	All swivel	5" (127)	65 (29.5)	OK KD

KD Denotes knocked down, shipped unassembled. Optional donut bumpers available.



GUARD RAIL UTILITY CARTS



Front rails on all three shelves prevent items from falling during transport.

Guard rail carts eliminate spills and breakage when transporting items that could easily tumble off shelves.

- All swivel casters provide ultimate maneuverability
- Integrated push handle for comfortably guiding cart with ease
- Sound deadening material restricts vibration and noise (on standard and medium duty carts)
- Heavy duty 700 series frame construction & larger casters restrict vibration and noise
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture
- Optional accessories shown on page 14

1 DURABILITY INDEX
Standard Duty
WEIGHT CAPACITY
300 lbs. | 135 kg



#316

2 DURABILITY INDEX
Medium Duty
WEIGHT CAPACITY
500 lbs. | 230 kg



#526

3 DURABILITY INDEX
Heavy Duty
WEIGHT CAPACITY
700 lbs. | 320 kg



#730

MODEL	DURABILITY INDEX RATING	SHELF DESCRIPTION			OVERALL SIZE			CASTERS		SHIP WEIGHT LBS. (KG)	FACILITY OK
		# OF	SIZE (W X L)	CLEARANCE	W	L	H	TYPE	DIA.		
316	Standard Duty 300 lbs.	3	15 1/2" x 24" (394 x 610)	9 1/4" (235)	16 1/4" (492)	27 1/2" 518	33 3/8" 876)	All swivel	3 1/2" (89)	33 (14.9)	OK
526	Medium Duty 500 lbs.	3	18" x 27" (457 x 686)	9" (229)	19" (483)	31" 787	34 3/4" 857)	All swivel	4" (102)	45 (20.3)	NA
725	Heavy Duty 700 lbs.	2	18" x 27" (457 x 686)	17" (432)	19 3/8" (492)	32 5/8" 518	34 1/2" 876)	All swivel	5" (127)	56 (25.2)	NA
726	Heavy Duty 700 lbs.	3	18" x 27" (457 x 686)	9" (229)	19 3/8" (492)	32 5/8" 518	34 1/2" 876)	All swivel	5" (127)	66 (29.7)	NA
729	Heavy Duty 700 lbs.	2	21" x 33" (533 x 838)	18 3/4" (476)	22 3/8" (568)	38 5/8" 981	37 1/4" 946)	All swivel	5" (127)	65 (29.3)	NA
730	Heavy Duty 700 lbs.	3	21" x 33" (533 x 838)	9 3/8" (238)	22 3/8" (568)	38 5/8" 981	37 1/4" 946)	All swivel	5" (127)	79 (35.6)	NA

Measurements in () denote metric millimeters, unless otherwise specified.



STAINLESS STEEL MULTI-PURPOSE, MULTI-SHELF CARTS

2	DURABILITY INDEX
	Medium Duty
	WEIGHT CAPACITY
500 lbs. 230 kg	

MEDIUM DUTY COMPACT CART

Multiple shelves keep supplies organized in a compact footprint.

- Compact size allows for easy maneuvering
- Angle leg design provides durability
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface

MODEL	SHELF DESCRIPTION			OVERALL SIZE			SHIP WEIGHT LBS. (KG)
	# OF	SIZE (W X L)	CLEARANCE	W	L	H	
ALL SHELF EDGES DOWN WITH FRONT LEG BUMPER							
351	3	18" x 31"	13 3/4"	19 3/8"	35"	36 7/8"	50 (22.7)
extended handle		(457 x 787)	(349)	(492)	889	937)	
353	4	18" x 31"	8 3/4"	19 3/8"	35"	36 7/8"	57 (25.9)
extended handle		(457 x 787)	(222)	(492)	889	937)	
355	5	18" x 31"	8 3/8"	19 1/4"	32 1/8"	45 1/8"	67 (30.4)
recessed handle		(457 x 787)	(213)	(489)	816	1146)	
3 SHELF EDGES UP, 1 DOWN WITH FRONT LEG BUMPER							
352	3	18" x 31"	13 1/8"	19 3/8"	35"	36 7/8"	50 (22.7)
extended handle		(457 x 787)	(333)	(492)	889	937)	
354	4	18" x 31"	8 3/8"	19 3/8"	35"	36 7/8"	57 (25.9)
extended handle		(457 x 787)	(213)	(492)	889	937)	
357	5	18" x 31"	8 1/8"	19 1/4"	32 1/8"	45 1/8"	67 (30.4)
recessed handle		(457 x 787)	(206)	(489)	816	1146)	
ALL SHELF EDGES DOWN WITH PERIMETER BUMPER							
445	4	21" x 35"	11 1/2"	22 1/4"	36 3/8"	45 5/8"	78 (35.4)
extended handle		(533 x 889)	(292)	(565)	924	1159)	
433	6	21" x 35"	7 3/8"	22 1/4"	36 3/8"	50 3/8"	98 (44.5)
recessed handle		(533 x 889)	(187)	(565)	924	1280)	
449	8	21" x 35"	5 1/2"	22 1/4"	36 3/8"	54 1/2"	119 (54)
recessed handle		(533 x 889)	(140)	(565)	924	1384)	
460	4	21" x 50"	11 1/2"	22 1/4"	51 3/8"	45 5/8"	155 (70.5)
extended handle		(533 x 1270)	(292)	(565)	1305	1159)	
462	6	21" x 50"	7 3/8"	22 1/4"	51 3/8"	50 3/8"	145 (65.8)
recessed handle		(533 x 1270)	(187)	(565)	1305	1280)	
464	8	21" x 50"	5 1/2"	22 1/4"	51 3/8"	54 1/2"	178 (80.7)
recessed handle		(533 x 1270)	(140)	(565)	1305	1384)	
3 SHELF EDGES UP, 1 DOWN WITH PERIMETER BUMPER							
446	4	21" x 35"	11 1/8"	22 1/4"	36 3/8"	45 5/8"	78 (35.4)
extended handle		(533 x 889)	(283)	(565)	924	1159)	
448	6	21" x 35"	7 1/8"	22 1/4"	36 3/8"	50 3/8"	98 (44.5)
recessed handle		(533 x 889)	(181)	(565)	924	1280)	
451	8	21" x 35"	5 3/8"	22 1/4"	36 3/8"	54 1/2"	119 (54)
recessed handle		(533 x 889)	(137)	(565)	924	1384)	
461	4	21" x 50"	11 1/8"	22 1/4"	51 3/8"	45 5/8"	155 (70.5)
extended handle		(533 x 1270)	(283)	(565)	1305	1159)	
463	6	21" x 50"	7 1/8"	22 1/4"	51 3/8"	50 3/8"	145 (65.8)
recessed handle		(533 x 1270)	(181)	(565)	1305	1280)	
465	8	21" x 50"	5 3/8"	22 1/4"	51 3/8"	54 1/2"	178 (80.7)
recessed handle		(533 x 1270)	(137)	(565)	1305	1384)	

Measurements in () denote metric millimeters, unless otherwise specified.

COMMON FEATURES:

UTILITY CARTS

STANDARD FEATURES

- ✓ Stainless steel
- ✓ Choice of shelf type:
All shelf edges down
- 3 shelf edges up, 1 down
- ✓ No-Mark® cushion tread wheels ...
- ✓ 2 fixed and 2 swivel
- casters, 5" (127)



FREIGHT CLASS
125

STANDARD PRODUCTS
SHIP IN 6 DAYS OR LESS

BENEFITS

-Easy to clean and sanitize
-Easy loading/unloading from all sides
-Hold items on shelves during transport
-Absorb impact for quiet operation
-Guide cart in a straight line, while making turns easier

3	DURABILITY INDEX
	Heavy Duty
	WEIGHT CAPACITY
700 lbs. 320 kg	

HEAVY DUTY NARROW WIDTH CART

This cart maneuvers heavy loads easily in narrow service areas.

- U-shaped tubular frame provides superior strength
- Extended handle gives more control



#745

MODEL	SHELF DESCRIPTION			OVERALL SIZE			SHIP WEIGHT	
	# OF	SIZE (W X L)	CLEARANCE	W	L	H	LBS.	(KG)
ALL SHELF EDGES DOWN								
745	4	21" x 33"	11 1/2"	21 1/2"	38 1/2"	49 1/8"	99	(44.9)
extended handle		(533 x 838)	(292)	(546)	978	1248)		
733	6	21" x 33"	7 3/8"	21 1/2"	38 1/2"	54 1/2"	129	(58.5)
recessed handle		(533 x 838)	(187)	(546)	978	1384)		
760	4	21" x 49"	11 1/2"	21 1/2"	54 1/2"	49 1/4"	133	(60.3)
extended handle		(533 x 1245)	(292)	(546)	1384	1251)		
762	6	21" x 49"	7 3/8"	21 1/2"	54 1/2"	54 5/8"	178	(80.7)
recessed handle		(533 x 1245)	(187)	(546)	1384	1387)		
3 SHELF EDGES UP, 1 DOWN								
746	4	21" x 33"	11"	21 1/2"	38 1/2"	49 1/8"	99	(44.9)
extended handle		(533 x 838)	(279)	(546)	978	1248)		
748	6	21" x 33"	7"	21 1/2"	38 1/2"	54 1/2"	129	(58.5)
recessed handle		(533 x 838)	(178)	(546)	978	1384)		
761	4	21" x 49"	11"	21 1/2"	54 1/2"	49 1/4"	139	(63.1)
extended handle		(533 x 1245)	(279)	(546)	1384	1251)		
763	6	21" x 49"	7"	21 1/2"	54 1/2"	54 5/8"	178	(80.7)
recessed handle		(533 x 1245)	(178)	(546)	1384	1387)		

Measurements in () denote metric millimeters, unless otherwise specified.



OPTIONAL MULTI-SHELF CART ACCESSORIES



Optional Perimeter Bumpers provide protection for walls and furnishings

FITS MODEL #	STRIP BUMPERS	PERIMETER BUMPER	ALL 5" SWIVEL CASTERS	ALL 8" SWIVEL CASTERS	ALL 5" CUSHION TREAD CASTERS	ALL 5" SWIVEL CASTERS, 2 WITH BRAKE
351 - 355, 357	Available	Available	Available	N/A	Available	Available
433, 445, 446	Standard	Available	Available	Available	Standard	Available
448, 449, 451						
460, 461, 462, 463, 464, 465	Standard	Available	Available	Available	Standard	Available
733, 745, 746	–	Available	No Charge	Available	–	Available
760, 762	–	Available	No Charge	Available	–	Available

UTILITY CART ACCESSORIES



Corner Leg Bumpers
Vinyl bumper strips attach to the front edges of carts to protect walls and furniture. Sold in sets of 2.



No-Mark® Casters
Swivel casters for easy handling, plus the added convenience of a non-marking tread.



Round Corner Bumpers
Bumpers fit tubular legs to protect walls and doors. Made of resilient vinyl. Sold in sets of four.



Brake Casters
Swivel casters feature a step-on locking brake. Sold in sets of two.



Perimeter Bumper
Safeguards doors, walls and furnishings. Perimeter bumpers are away from the cart frame in a specially engineered channel. Made of extruded vinyl.



Sta-Clean® Vinyl Covers
Slides over mobile equipment to protect contents. Made of durable 12-mil clear vinyl. A wide variety of sizes are available.

FITS MODEL #	STRIP BUMPERS	PERIMETER BUMPER	ALL 5" SWIVEL CASTERS	2-5" FIXED 2-5" SWIVEL CASTERS	HI-TEMP 2-5" FIXED 2-5" SWIVEL	ALL 8" SWIVEL CASTERS	ALL 5" CUSHION TREAD	ALL 5" SWIVEL CASTERS, 2 WITH BRAKES	STA-CLEAN VINYL COVERS +
311, 316, 322	Available	N/A	Available	Available	N/A	N/A	Available	Available	Available
444	Available	Available	Standard	Available	Available	Available	Standard	Available	Available
411, 422, 526	Available	N/A	Available	Available	N/A	N/A	Available	Available	Available
459	Available	Available	Available	Standard	Available	Available	Standard	Available	N/A
721, 722, 743, 744	N/A	Available	No charge	N/A	Available	Available	Standard	Available	Available
758, 759	N/A	Available	No charge	N/A	Available	Available	Standard	Available	N/A

PLASTIC UTILITY BOXES

- Thick molded polyethylene with reinforced stainless steel shelf hooks for durability
- Mounts on the end of plastic and stainless steel carts to add capacity
- Separates wet material or liquids from dry items being transported

MODEL	DESCRIPTION	OVERALL SIZE			SHIP WEIGHT	
		W	L	H	SINGLE PACK LBS. (KG.)	BULK PACK* LBS. (KG.)
202	Waste Box	9 1/4"	13 1/2"	24"	6 (2.7)	28 (12.7)
206	Jumbo Waste Box	11 1/4"	14 3/8"	26"	8 (3.6)	36 (16.3)
208	Utility Box	6 3/4"	15 3/4"	6"	4 (1.8)	15 (6.8)


*Bulk pack is 6 ea. (except for model 206, bulk packed 4 ea). Color: Gray



ADAPTER BAR

- Adapter Bar for use with tubular carts on page 7. Fits over tubular handle.

MODEL	LENGTH	MODEL	LENGTH	MODEL	LENGTH
09900	15 1/2"	09901	18"	09902	21"



ERGO-ONE® SYSTEM UTILITY CARTS

These carts work with your body to help prevent injuries

- Promote a safe work place environment
- Reduce workers' compensation claims
- Designed to keep it simple and make it body-friendly

Underscoring Lakeside's long-time commitment to provide innovative solutions to real world problems, we worked with an orthopedic specialist to design a family of carts built to help prevent repetitive motion injuries.

- The vertical handle ensures wrists are in the correct position for pushing and steering
- Shelves are located within a "Safety Zone" that is the proper height for loading and unloading

Vertical handle makes pushing safer and more natural

"Safe Zone" for repetitive loading and unloading



#6600

1	DURABILITY INDEX
	Standard Duty
	WEIGHT CAPACITY
	300 lbs. 135 kg

- Ergonomic top shelf height 34 1/8" (867) for strain-free loading
- 20-gauge stainless steel shelves reinforced for added strength
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture
- No-Mark® cushion tread wheels absorb impact, reducing vibration and strain
- 5" (127) casters, all swivel. Model 6600 caster requires assembly

MODEL	# OF	SHELF DESCRIPTION		OVERALL SIZE			SHIP WEIGHT		FedEx UPS
		SIZE (W X L)	CLEARANCE	W	L	H*	LBS.	(KG)	
6600	2	15 1/2" x 24" (394 x 610)	13 1/8" (867)	16 1/2" (419)	28" 711	44 3/8" 1127)	22	(10)	OK
6610	2	18" x 27" (457 x 686)	13 1/8" (333)	19" (483)	31 1/8" 791	44 3/8" 1127)	25	(11.3)	NA

*Includes height of ergonomic handles. Handle assembly required. Accessories on page 16.

FREIGHT CLASS
125

STANDARD PRODUCTS
SHIP IN 3 DAYS OR LESS

ERGO-ONE® SYSTEM UTILITY CARTS (CONT.)

COMMON FEATURES:

ERGO-ONE® SYSTEM UTILITY CARTS

- ✓ Ergonomic bottom shelf height 20" (508) which is in safe zone for reduced back stress
- ✓ All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- ✓ Stainless steel is easy to clean and sanitize
- ✓ No-Mark® cushion tread wheels absorb impact, reducing vibration and strain
- ✓ Leg bumpers protect walls and furniture
- ✓ Comfortable handle grips make pushing easier and safer



2 DURABILITY INDEX
Medium Duty
WEIGHT CAPACITY
500 lbs. | 230 kg

MEDIUM DUTY

- 20-gauge stainless steel shelves reinforced for added strength

#7025

MODEL	SHELF DESCRIPTION			TOP SHELF HEIGHT*	OVERALL SIZE			LAKE-GLIDE® CASTERS		SHIP WT. LBS. (KG)	FedEx UPS OK
	# OF	SIZE (W X L)	CLEARANCE		W	L	H**	TYPE	DIA.		
6800	2	15 1/2" x 24" (394 x 610)	14 1/8" (359)	35 1/4" (895)	16 1/2" (419)	28" 711	44 3/8" 1127)	All swivel	5" (127)	32 (14.5)	OK
6810	2	18" x 27" (457 x 686)	14 1/8" (359)	35 1/4" (895)	19" (483)	31 1/8" 791	44 3/8" 1127)	All swivel	5" (127)	35 (15.9)	NA
6820	2	21" x 35" (533 x 889)	14 1/2" (368)	35 3/4" (908)	22" (559)	39 1/8" 994	44 3/8" 1127)	All swivel	5" (127)	61 (27.6)	NA
6830	2	21" x 49" (394 x 610)	14 1/2" (368)	35 3/4" (908)	22" (559)	53 1/8" 1400	44 3/8" 1127)	2- swivel 2-fixed	5" (127) 5" (127)	128 (58.2)	NA

Measurements in () denote metric millimeters, unless otherwise specified. *Measured from floor. **Includes height of ergonomic handles. Handle assembly required. Model 6800 caster assembly required.

3 DURABILITY INDEX
Heavy Duty
WEIGHT CAPACITY
700 lbs. | 320 kg

HEAVY DUTY

- 18-gauge stainless steel shelves reinforced for heavy duty loads
- Extra load casters supports heavy weight better- 2 swivel 5" (127) , 2 fixed 8" (203)

FREIGHT CLASS
125

STANDARD PRODUCTS SHIP IN 5 DAYS OR LESS

MODEL	SHELF DESCRIPTION			TOP SHELF HEIGHT*	OVERALL SIZE			SHIP WEIGHT	
	# OF	SIZE (W X L)	CLEARANCE		W	L	H**	LBS.	(KG)
7010	2	18" x 27" (457 x 686)	18 1/2" (470)	40" (1016)	18 5/8" (473)	35 3/8" 899	46 3/4" 1187)	53	(24)
7015	3	18" x 27" (457 x 686)	10" (254)	43" (1092)	18 5/8" (473)	35 3/8" 899	46 3/4" 1187)	63	(28.6)
7020	2	21" x 33" (533 x 838)	18 1/2" (470)	40" (1016)	21 5/8" (549)	41 3/8" 1051	46 3/4" 1187)	64	(29)
7025	3	21" x 33" (533 x 838)	10" (254)	43" (1092)	21 5/8" (549)	41 3/8" 1051	46 3/4" 1187)	78	(35.4)
7030	2	21" x 49" (533 x 1245)	18 1/2" (470)	40" (1016)	21 5/8" (549)	57 3/16" 1453	46 3/4" 1187)	127	(57.7)

*Measured from floor. **Includes height of ergonomic handles. Handle assembly required.

FREIGHT CLASS
125

STANDARD PRODUCTS SHIP IN 5 DAYS OR LESS

ERGO-ONE® SYSTEM CART ACCESSORIES

FREIGHT CLASS
125

STANDARD PRODUCTS SHIP IN 5 DAYS OR LESS

FITS MODEL #'S	6600 6610	6800 6810	6820	6830	7010 7015	7020 7025	7030
Ergonomic Handle Grips and Bumpers, Blue	Available	Standard	Standard	Standard	Standard	Standard	Standard
Handle Set Both Ends	N/A	N/A	N/A	N/A	Available	Available	Available
Perimeter Channel Bumper	N/A	N/A	N/A	N/A	Available	Available	Available
2 Brake Casters	N/A	Available	Available	Available	Available	Available	Available
4 - 5" Swivel Casters	N/A	N/A	N/A	N/A	No Charge	No Charge	No Charge
2 - 5" Swivel, 2 - 5" Fixed Casters	N/A	N/A	N/A	N/A	N/A	N/A	No Charge
2 - 5" Swivel, 2 - 5" Fixed High-Temp Nylon Casters, up to 400°F (204° C)	Available	Available	Available	Available	Available	Available	Available